

MULTIFUEL



TRADITIONAL CAST IRON STOVES

The finest multifuel and woodburning stoves from

 **FRANCO BELGE**

Franco Belge have over 80 years experience in designing and manufacturing some of the world's finest wood-burning and solid-fuel cast iron stoves. The Belfort, Montfort, Monaco, Savoy, Limousin, Carnargue, Ardennes, Monte Carlo and Parisienne are part of the Franco Belge family. Our appliances feature our powerful airwash system to provide cleaner burning and to help keep the glass doors free of unsightly deposits. All Franco Belge stoves are constructed from top grade cast iron for a lifetime of dependable service.

THE ADVANTAGES OF CAST IRON

There are many benefits of cast iron over other materials - for example once the fuel has expired the stove will retain heat for much longer when compared with stoves constructed from other materials. Cast iron has also proved to be more durable under high temperatures. Unlike steel, cast iron can be moulded into a large range of textures and designs giving our stoves their traditional appeal and added beauty.



DEFRA APPROVAL

A DEFRA approved woodburning stove means that you can now burn wood in smoke controlled zones and enjoy a roaring log fire without breaking any rules. We offer a range of DEFRA approved woodburners in our range of cast iron stoves - look out for the logo in this brochure.

HEAT OUTPUTS

Franco Belge stoves are all capable of producing a substantial level of heat. Please consult with your local dealer with regards to the most suitable heat output for your intended installation.

FUEL RECOMMENDATIONS

We do not recommend the use of house coal with our products. You are advised to check the compatibility of the fuel you intend to use with your chosen stove before you commit to buy. For independent advice on all fuel types, please contact the Solid Fuel Association on 0845 601 4406.

CE CERTIFICATION

In line with current building regulations your installer will need to check that the appliance he is installing is CE approved. All of our stoves are fully CE approved and the appropriate certification is available to your installer by calling ACR Heat Products on 0121 706 8266.

CONTENTS

| STOVE | PAGE |
|-------------------|---------|
| Belfort | 4 / 5 |
| Montfort Classic | 6 / 7 |
| Montfort Elegance | 8 / 9 |
| Monaco | 10 / 11 |
| Savoy Classic | 12 / 13 |
| Savoy Elegance | 14 / 15 |
| Limousin | 16 / 17 |
| Carnargue | 18 / 19 |
| Ardennes | 20 / 21 |
| Monte Carlo | 22 / 23 |
| Parisienne | 24 |

WARRANTY

Our 5 year warranty covers all stove body castings; it does not include consumable items such as glass and door seals. This 5 year warranty is only applicable when the stove is purchased from one of our recommended retailers. If a stove from any of our brands is purchased from a non-recommended retailer then only a 12 month warranty will be applicable as outlined below. All stoves are covered by a 1 year castings warranty when purchased through a non-recommended retailer. The warranty covers the stove body castings only and does not include consumable items such as grates, firebricks, vermiculite panels, baffles, log guards, door rope and glass. Any warranty claims should be addressed to your original supplier and accompanied with the date of purchase and serial number of the appliance.



Montfort Classic

Savoy Elegance

Ardennes 11 Kw



STOVES AND THE ENVIRONMENT

THE ENVIRONMENT
We all have an obligation to the environment and its future. Making informed energy decisions now will be reflected in the environment around us in the years to come. Whether we put another log onto the fire or turn the central heating up a couple of degrees has an impact on the environment beyond just keeping us warm. The government have promised to reduce CO2 emissions by 50% by the year 2050. By installing a Franco Belge woodburning stove, you will be able to do your part in helping the environment.

SEASONING & STORING LOGS

Franco Belge are conscious of the environmental issues affecting our world. We recommend that you burn seasoned wood purchased from a sustainable forest management scheme. Because trees contain a lot of water, freshly cut logs will contain about 50% water and will be difficult to burn. Wood felled during one winter should be seasoned over the following summer. The logs should be cut to the required lengths and stored outside but under cover so they are protected from rain. If possible, it is always best to season the wood for two years before burning to enable the moisture content to be reduced to about 20%. If using wood with a higher moisture content, tar will be produced during the burning process.

WHY USE WOOD?

Wood is naturally environmentally friendly as it consumes more Carbon Dioxide whilst growing than it emits during burning. It is also one of the very few fuels that is renewable in our lifetime. Most other sources of power come from fossil fuels - these take thousands of years to evolve and are being consumed faster than they can be replenished by nature.

EFFICIENCY

Woodburning is highly efficient - a modern electricity generating power station is in fact 20% less efficient at producing energy than your Franco Belge stove.



WOOD AS A RENEWABLE FUEL

If using wood from a sustainable source (the pruning and harvesting of overgrown woodlands) not only provides fuel for woodstoves but also promotes the growth of healthy trees that can absorb up to three times as much CO2 as is released when the wood is burned. Because of this fact, The Carbon Trust recognise that wood is the only "carbon neutral rated" fuel available. The following chart formulated by The Carbon Trust gives examples of how many kg of CO2 is emitted into the atmosphere from the average family home in the UK (for more information on The Carbon Trust please visit their web site www.thecarbontrust.co.uk).

| FUEL | Kgs of CO ₂ per week |
|---------------------|---------------------------------|
| Electricity | 128 Kgs |
| Coal | 116 Kgs |
| Oil | 88 Kgs |
| Gas | 63 Kgs |
| Coal/Water- 50% mix | 58 Kgs |
| Wood | ZERO Kgs |

WOOD AND ITS EFFECT ON YOUR LOCAL ENVIRONMENT

Firewood management can create rural employment, increase revenue and play a major part in reversing rural decline. By thinning and coppicing traditional woodland management can be re-established. It is the decline of this type of practice that has led to the loss of some of our most attractive British woodland and the wildlife that relies upon it.





BELFORT

The smallest stove in the Franco Beldge range, the Belfort is one of our most popular appliances. Its compact size and low heat output of 4.5 Kws makes this appliance perfect for smaller rooms or a secondary heat source on those chilly winter days. The Belfort is available in matt black stove paint and a wide range of colour enamel finishes, to enable you to match your stove to your interior decor scheme. As an optional extra, a brass trim door finish is available with the matt black model. The Belfort can be supplied with an optional glass lined hot water boiler this can be fitted at the time of installing your stove or can be added at a later date, should your circumstances require it.



- All cast iron construction for maximum heat transfer
- Airwash system for cleaner glass
- Ability to burn either wood or smokeless fuel
- No additional room ventilation required
- External hiding grate
- Top or rear flue outlet
- Retains heat long after the fire expires
- Glass lined hot water boiler option available
- Brass door finish option available

COLOUR OPTIONS

A range of coloured enamelled flue pipe is available from your Franco Beldge dealer to enhance and complement the appearance of your stove installation. (Please note that Charcoal enamel flue pipe is not available)



Matt black stove paint
Product Code 134041Y



Charcoal enamel
Product Code 134041E



Majolica green enamel
Product Code 134041J



Sapphire blue enamel
Product Code 134041I



Burgundy enamel
Product Code 134041C



Kory enamel
Product Code 134041P





Belfort with optional brass finish door



| Fuel | Wood & solid fuel |
|-----------------|---------------------|
| Nominal Output | 4.5 Kws |
| Efficiency | 74.3% |
| Max Hearth Temp | Less than 100°C |
| Weight | 73 KGS |
| Max Log Size | 25 cm |
| Flue Diameter | 125 mm (inside dia) |
| Flue Location | Top or rear |
| Boiler Output* | 8,000 Btu/hour |

*Glass lined boiler is available as an optional extra on Belfort model.

Height from floor to centre of rear flue outlet: 409mm
Distance from rear of appliance to centre of top flue outlet: 131mm



All dimensions in mm



MONTFORT CLASSIC

One of Franco Belge's best selling stoves the Montfort Classic is the bigger sister to the Belfort. It's heat output of 5 Kws is the perfect size for medium sized rooms and can easily combat the cold weather. The Montfort Classic has a strong airwash system to help keep the glass clean and the wide door opening is perfect for fitting in those larger logs. The large ceramic glass provides excellent views of the flames for that cosy atmosphere. Available in traditional matt black stove paint and a wide range of beautiful enamel finishes for a look to complete your home.




- All cast iron construction for maximum heat transfer
- Powerful airwash system for cleaner glass
- Ability to burn either wood or smokeless fuel
- No additional room ventilation required
- External riddling gate
- Top or rear flue outlet
- Retains heat long after the fire has expired
- Ideal for heating small to medium sized rooms



S P E C I F I C A T I O N S

| Fuel | Wood & solid fuel |
|-----------------|---------------------|
| Nominal Output | 5.0 Kws |
| Efficiency | 68.8% |
| Max Hearth Temp | Less than 100°C |
| Weight | 75 Kgs |
| Max Log Size | 33 cm |
| Flue Diameter | 125 mm (inside dia) |
| Flue Location | Top or rear |

Height from floor to centre of rear flue outlet: 409mm
Distance from rear of appliance to centre of top flue outlet: 130mm



All dimensions in mm

COLOUR OPTIONS

A range of coloured enamelled flue pipe is available from your Franco Belge dealer to enhance and complement the appearance of your stove installation. (Please note that Charcoal enamel flue pipe is not available)



Matt black stove paint
Product Code 1340501Y

Charcoal enamel
Product Code 1340501E

Majolica green enamel
Product Code 1340501I

Sapphire blue enamel
Product Code 1340501L

Burgundy enamel
Product Code 1340501C

Majolica brown enamel
Product Code 1340501L

Ivory enamel
Product Code 1340501P



MONTFORT ELEGANCE

The Montfort Elegance takes all the great characteristics of the original and builds on this heritage to create an all new and individual stove. As a 'room-sealed' stove, the Montfort Elegance can draw it's primary air-supply from outside your home. Now with DEFRA* approval the Montfort Elegance can be used to burn wood in smoke controlled zones by simply adding the optional DEFRA* kit before installation. With a Vermiculite lining, powerful airwash system to keep the large glass door panel clear of deposits and a heat output up to 5 Kws the Montfort Elegance is the ideal stove for bringing a warm glow to any family living room. Available in traditional matt black and a wide range of stunning enamel finishes to complement your decor.

• All cast iron construction for maximum heat transfer

• DEFRA approval allows you to burn logs and smokeless fuels in smoke

controlled zones (requires installation of optional kit part no. KEA13405)

- Vermiculite lined for powerful combustion
- Powerful airwash system for cleaner glass
- Ability to burn either wood or smokeless fuel
- No additional room ventilation required
- Top or rear flue outlet
- Retains heat long after the fire has expired
- Ideal for heating small to medium sized rooms

COLOUR OPTIONS

A range of coloured enamelled flue pipe is available from your Franco Belgie dealer to enhance and complement the appearance of your stove installation. (Please note that Charcoal enamel flue pipe is not available)



Matt black stove paint
Product Code 1340502Y



Charcoal enamel
Product Code 1340502E



Burgundy enamel
Product Code 1340502C




Majolica brown enamel
Product Code 1340502I



Misty enamel
Product Code 1340502P

*DEFRA - Department for Environment, Food and Rural Affairs - please visit www.defra.gov.uk for further information.



OPTIONAL DUCTING KIT



An optional ducting kit is available for the Montfort Elegance to take advantage of its room sealed characteristics. This kit contains all the ducting components required to complete your room sealed stove installation. Ducting kit Part Number: K913405



S P E C I F I C A T I O N S

| Fuel | Wood & solid fuel |
|-----------------|---------------------|
| Nominal Output | 5.0 Kws |
| Efficiency | 75% |
| Max Hearth Temp | Less than 100°C |
| Weight | 81 Kgs |
| Max Log Size | 33 cm |
| Flue Diameter | 125 mm (inside dia) |
| Flue Location | Top or rear |

Height from floor to centre of rear flue outlet: 409mm
Distance from rear of appliance to centre of top flue outlet: 137mm



All dimensions in mm



MONACO

One of our latest designs, the Monaco is justifiably popular and hailed as the new 'classic' due to its contemporary twist on the traditional Franco-Belge period style. The Monaco has large expanse of glass which shows off the fire to full effect and the powerful airwash system ensures that the glass is kept as clear as possible. Perfect for medium to large sized rooms with a heat output of 6 Kws this stove will keep a house warm and cosy all winter. Available in matt black stove paint and a range of stunning enamel finishes to suit your home.



- All cast iron construction for maximum heat transfer
- Vermiculite lined for powerful combustion
- Large ceramic glass door for superb views of the fire

10

- Efficient airwash system to keep the glass free from deposits
- Ability to burn either wood or smokeless fuel
- Top or rear flue outlet
- Cast iron retains heat long after the fire has expired keeping your home warmer for longer
- Ideal for heating medium to large sized rooms
- Cleanburn Technology

COLOUR OPTIONS

A range of coloured enamelled flue pipe is available from your Franco Belge dealer to enhance and complement the appearance of your stove installation.
(Please note that Charcoal enamel flue pipe is not available).



-  Matt black stove paint
Product Code: 1340805Y
-  Charcoal enamel
Product Code: 1340805E
-  Majolica green enamel
Product Code: 1340805J
-  Majolica brown enamel
Product Code: 1340805L
-  Ivory enamel
Product Code: 1340805P



S P E C I F I C A T I O N S

| | |
|-----------------|---------------------|
| Fuel | Wood & solid fuel |
| Nominal Output | 6.0 Kws |
| Efficiency | 70.5% |
| Max Hearth Temp | Less than 100°C |
| Weight | 90 Kgs |
| Max Log Size | 40 cm |
| Flue Diameter | 125 mm (inside dia) |
| Flue Location | Top or rear |

Height from floor to centre of rear flue outlet: 499mm
Distance from rear of appliance to centre of flue outlet: 141mm



All dimensions in mm



SAVOY CLASSIC

The Savoy Classic is the bigger sister to the Montfort. The Savoy Classic benefits from having the largest ceramic glass door for a stove of its size, this provides excellent views of the fire. The Savoy Classic has an output of 8 kws which makes it ideal for providing a substantial amount of heat in a variety of rooms. However due to its compact dimensions this appliance is suitable for a wide range of installations. An optional glass lined boiler is available for extra hot water in your home (top exit installations only, not suitable for side loading door model). The boiler can be installed at the same time as the Savoy Classic or at a later date should you decide that an additional boiler would be a useful in your home. For a unique look the Savoy Classic has an optional brass trim door on the matt black model only;

- All cast iron construction for maximum heat transfer
- Large ceramic glass door panel
- Powerful airwash system for cleaner glass
- Ability to burn either wood or smokeless fuel
- Top or rear flue outlet
- Retains heat long after the fire has expired
- Suited to a large range of rooms and installation options
- Also available with additional side loading door
- Brass finish door option available on the matt black model
- Glass lined hot water boiler option available



Savoy with optional brass finish door



COLOUR OPTIONS





A range of coloured enamelled flue pipe is available from your Franco Belge dealer to enhance and complement the appearance of your stove installation. (Please note that Charcoal enamel flue pipe is not available).

- Matt black stove paint
Product Code: 13408057
- Charcoal enamel
Product Code: 13408056
- Sapphire blue enamel
Product Code: 13408058
- Ivory enamel
Product Code: 13408059
- Burgundy enamel
Product Code: 1340805C

S P E C I F I C A T I O N S

| | |
|--------------------------|---------------------|
| Fuel | Wood & solid fuel |
| Nominal Output | 8.0 Kws |
| Efficiency | 72.6% |
| Max Hearth Temp | Less than 100°C |
| Weight | 100 Kgs |
| Max Log Size (Standard) | 40 cm |
| Max Log Size (Side Door) | 42 cm |
| Flue Diameter | 125 mm (inside dia) |
| Flue Location | Top or rear |
| Boiler Output* | 8,000 Btu/hour |

*Glass lined boiler is available as an optional extra on Savoy model. Suitable for top exit installations only.



Height from floor to centre of rear flue outlet: Standard 520mm, Side loading 560mm.
Distance from rear of appliance to centre of top flue outlet: 134mm



SAVOY ELEGANCE

Following on from the great popularity of the Savooy Classic we proudly introduce a new model to the range - the Savooy Elegance. Full DEFRA* approval means that you can now burn wood in smoke controlled zones and enjoy a roaring log fire without breaking any rules, by simply adding the optional DEFRA* kit at the time of installation. The raised features on the door and sides of the stove have been smoothed with only the outlines remaining for a touch of period style with a modern edge. The door is hinged on the side creating a larger expanse of glass for excellent views of the flames. This larger door also allows you to burn logs up to 42cm long. The Savooy Elegance has a very powerful airwash which ensures the glass stays virtually free from soot and tar deposits. With a heat output of 8 Kws the Savooy Elegance is powerful enough to heat a wide variety of rooms. However its compact dimensions make it suitable for a wide range of installations.



- Ability to burn wood and smokeless fuel
- DEFRA approval allows you to burn logs and smokeless fuels in smoke controlled zones (with the installation of optional kit, part no KEA13408)
- All cast iron construction for maximum heat transfer
- The largest ceramic glass door panel for a stove of this size
- Top or rear flue outlet
- Vermiculite lining for greater efficiency and reduced harmful emissions
- Powerful airwash system for cleaner glass
- Retains heat long after the fire has expired
- Suited to a large range of rooms and installation options
- Additional height log guard available as optional extra (part no 307443)

COLOUR OPTIONS

A range of coloured enamelled flue pipe is available from your Franco Belge dealer to enhance and complement the appearance of your stove installation. Please note that Charcoal enamel flue pipe is not available).



Matte black stove paint
Product Code - MF 134889V



Charcoal enamel
Product Code - MF 134890E



Ivory enamel
Product Code - MF 134889P





Burgundy enamel
Product Code - MF 134890C



S P E C I F I C A T I O N S

| Fuel | Wood & solid fuel |
|------------------------------|---------------------|
| Nominal Output | 8.0 Kws |
| Efficiency (MultiFuel model) | 80.6% |
| Efficiency (DEFRA model) | 79% |
| Max Hearth Temp | Less than 100°C |
| Weight | 135 Kgs |
| Max Log Size | 42 cm |
| Flue Diameter | 125 mm (inside dia) |
| Flue Location | Top or rear |

Height from floor to centre of rear flue outlet: 520mm
Distance from rear of appliance to centre of top flue outlet: 132mm



*DEFRA - Department for Environment, Food and Rural Affairs - please visit www.defra.gov.uk for further information.

All dimensions in mm



LIMOUSIN

The Limousin is one of the larger stoves in the Franco Belge range. The expansive glass door is kept as clear of deposits as possible by a strong airwash system. An outstanding feature of this stove is the additional side loading door which will enable you to fit in logs of up to 50 cm in length to produce maximum usage from your wood stocks. Options include a brass finish door to create an individual look in your home. There is even a model with a lift up cast iron lid revealing a steel cooking hot plate, ideal for some traditional home cooking. The Limousin is ideal for larger rooms and for homes that require a substantial heat output.

- All cast iron construction for maximum heat transfer
- High 10 Kw output for heating larger rooms
- Powerful airwash system for cleaner glass
- Ability to burn either wood or smokeless fuel
- Top or rear flue outlet
- Side loading door allows longer logs to be burned
- Available with integral steel cooking hot plate with lift up cast iron cover - perfect for simmering a casserole or simply boiling the kettle.
- Brass finish door option available

16



The Limousin is also available with an integral steel hot plate with lift-up cast iron cover. Available with rear flue only.



Limousin with optional brass finish door

COLOUR OPTIONS



Standard Limousin
Matt black stove paint
Product Code 15410121




Limousin with hot plate
Anthracite stove paint
Product Code 15410251

| Fuel | Wood & solid fuel |
|-----------------|---------------------|
| Nominal Output | 10.0 Kws |
| Efficiency | 71.9% |
| Max Hearth Temp | Less than 100°C |
| Weight | 160 Kgs |
| Max Log Size | 50 cm |
| Flue Diameter* | 150 mm (inside dia) |
| Flue Location* | Top or rear |

*Limousin with integral cooking hob/dish is available with rear flue only.

Height from floor to centre of rear flue outlet: 575mm
Distance from rear of appliance to centre of top flue outlet: 198mm



All dimensions in mm

17



CAMARGUE

The Camargue has a different look to many of the Franco-Belge stoves, with its distinctive brass-coiled handles on the front and side loading doors. The additional side loading door comes as standard and makes easy work of loading longer logs. With an output of 10Kw and the benefit of a powerful airwash to help keep the glass free of deposits, means you not only have a focal point in the room but a thoroughly reliable heat source. Available in traditional matt black stove paint or Majolica green and Majolica brown enamel finish.

- All cast iron construction for maximum heat transfer
- Powerful airwash system for cleaner glass
- Ability to burn either wood or smokeless fuel
- Luxurious enamel or traditional black finishes
- Top or rear flue outlet
- High heat output for larger rooms
- Side loading door - ideal for longer logs
- Elegant styling creates a visual centrepiece



COLOUR OPTIONS



Matt black stove paint
Product Code 13410151



Majolica green enamel
Product Code 13410151




Majolica brown enamel
Product Code 13410151



S P E C I F I C A T I O N S

| | |
|-----------------|---------------------|
| Fuel | Wood & solid fuel |
| Nominal Output | 10.0 Kws |
| Efficiency | 72.4% |
| Max Hearth Temp | Less than 100°C |
| Weight | 130 Kgs |
| Max Log Size | 41 cm |
| Flue Diameter | 150 mm (inside dia) |
| Flue Location | Top or rear |

Height from floor to centre of rear flue outlet: 480mm
Distance from rear of appliance to centre of top flue outlet: 160mm





ARDENNES

With its classic styling and choice of 2 different output sizes, the Ardennes is the perfect woodburning stove for creating a real fire atmosphere in your home. Both output models have a choice of door styles - double plain and double lattice option or the single plain door option. Equipped with an advanced airwash to help keep the glass clean and a tertiary baffle for cleaner emissions.



- All cast iron construction for maximum heat transfer
- Choice of 11 Kw or 15 Kw heat outputs ideal for larger rooms
- Powerful airwash system for cleaner glass
- Stove can be operated with the doors either open or closed for that open fire look
- Tertiary baffle for cleaner emissions - helping to protect the environment
- Retains heat long after the fire has expired
- Woodburning stove
- Top or rear flue outlet

20



COLOUR OPTIONS



- Matt black stove paint
- Charcoal enamel
- Forest green enamel
- Maple brown enamel
- Burgundy enamel
- Ivory enamel



21

S P E C I F I C A T I O N S

| | 11 Kws Model | 15 Kws Model |
|-----------------|---------------------|---------------------|
| Fuel | Wood only | Wood only |
| Nominal Output | 11.3 Kws | 14.9 Kws |
| Efficiency | 73.3% | 77.3% |
| Max Hearth Temp | Less than 100°C | Less than 100°C |
| Weight | 140 Kgs | 180 Kgs |
| Max Log Size | 50 cm | 57 cm |
| Flue Diameter | 150 mm (inside dia) | 150 mm (inside dia) |
| Flue Location | Top or rear | Top or rear |



BLACK - 11 Kws model RED - 15 Kws model All dimensions in mm



MONTTE CARLO

The Monte Carlo is a real power-house stove with an impressive 11.5 Kws of heat output - enough to keep even larger rooms beautifully warm. The massive glass door, with powerful airwash system to keep it clean, affords a stunning view of the fire.

With both front and side loading doors, the Monte Carlo can accept logs up to 55cm long; this larger log size means the stove can burn for longer periods with less refuelling required. Available in traditional matt black and a range of stunning enamel finishes, this is a stove designed to create a centrepiece in even the most imposing of rooms.



- All cast iron construction for maximum heat transfer
- Powerful airwash system for clearer glass
- Massive ceramic glass door panel for a spectacular real fire experience
- Front and side loading doors allow longer logs to be loaded
- Top or rear flue outlet
- Retains heat long after the fire has expired
- Ideal for heating larger rooms

22

Additional side door makes easy work of loading longer logs





23

COLOUR OPTIONS

- Matt black stove paint
Product Code 134120Y
- Charcoal enamel
Product Code 134120E
- Forest green enamel
Product Code 134120B
- Majolica brown enamel
Product Code 134120L
- Burgundy enamel
Product Code 134120C
- Ivory enamel
Product Code 134120P

| | |
|-----------------|---------------------|
| Fuel | Wood only |
| Nominal Output | 11.5 Kws |
| Efficiency | 79% |
| Max Hearth Temp | Less than 100°C |
| Weight | 180 Kgs |
| Max Log Size | 55 cm |
| Flue Diameter | 150 mm (inside dia) |
| Flue Location | Top or rear |

Height from floor to centre of rear flue outlet: 664mm
Distance from rear of appliance to centre of top flue outlet: 224mm
Distance from rear of appliance to centre of top flue outlet when used in conjunction with ducting kit: 224mm





PARISIENNE

The Parisienne is the epitome of quintessential French styling. With its decorative detailed trim this stove stands out from the competition. This appliance has two models with a heat output of 3 Kws and 5 Kws making them ideal in environments where a freestanding stove is the ideal solution for example hallways or conservatories.

The Parisienne is available in four stunning colour options all with a black enamel finish stove body with enamel finish trims in Majolica green, burgundy, Majolica brown and a simple matt black finish.



- Heat outputs of 3 and 5 Kws
- Ability to burn either wood or smokeless fuel
- Rear flue outlet
- Top loading
- Attractive three legged continental styling
- Two sizes available in all four distinctive colour options

COLOUR OPTIONS



Black enamel body with green enamel detail
Product Code: 1240301J & 1240501J



Black enamel body with burgundy enamel detail
Product Code: 1240301C & 1240501C



Black enamel body with brown enamel detail
Product Code: 1240301L & 1240501L




Black enamel body with matt black stove paint detail
Product Code: 1240301Y & 1240501Y

S P E C I F I C A T I O N S

| | 3 Kws Model | 5 Kws Model |
|-----------------|-----------------------|-----------------------|
| Fuel | Wood & solid fuel | Wood & solid fuel |
| Nominal Output | 3.0 Kws | 5.0 Kws |
| Efficiency | 51.9% | 69.8% |
| Max Hearth Temp | Less than 100°C | Less than 100°C |
| Weight | 80 Kgs | 95 Kgs |
| Flue Diameter | 125 mm (external dia) | 125 mm (external dia) |
| Flue Location | Rear | Rear |

* All Parisienne stoves are available with rear flue outlets only. Please note due this appliance being top loading only allow 32cm clearance above the appliance to enable the lid to be opened.

Height from floor to centre of rear flue outlet:
1240301 - 410mm
1240501 - 545mm



Depth and Width dimensions remain the same for both models

All dimensions in mm

Your local dealer:

FRANCO BELGE

ACR

ACR Heat Products Limited, Unit 1, Weston Works, Weston Lane, Tyseley Birmingham B11 3RP, England

Tel: 0121 706 8266 Fax: 0121 706 9182
E-mail: enquiries@acrheatproducts.co.uk www.acrheatproducts.co.uk

Franco Belge, Staub Fonderie S.A. 59660 Merville, France. Tel: 0033 3 28 43 43 00, Télécopie: 00 33 28 43 48 61

Issue 15 / November 2010

All installations shown in this brochure are for illustrative purposes only. All actual installations must comply with the latest building regulations and Franco Belge installation manuals. Please note that due to limitations of the printing process, colour reproduction of enamel stoves may vary slightly from those shown. Please consult your dealer for more accurate colour matching. Franco Belge reserves the right to amend any specifications herein or to make any product design changes. The specifications, dimensions and information shown within our brochures are provided for information purposes only and are not binding. With the aim of constantly improving our equipment, all modifications considered necessary may be made without notice.